



# COVID-19 Testing: Molecular, Antigen, and Antibody Tests Explained\*

Butler School District 53 has been approved for a CLIA license for **rapid antigen and antibody tests for staff**. Tests will be administered in designated school health facilities by trained healthcare workers.

TOPIC	ANTIGEN TEST	ANTIBODY (SEROLOGY) TEST	MOLECULAR TEST**
<i>Why is the test used?</i>	Antigen tests look for pieces of proteins that make up the SARSCoV-2 virus to determine if the person has an <b>active infection</b> .	Serology looks for antibodies against SARS-CoV-2 in the blood to determine if there was a <b>past infection</b> .	Molecular tests look for pieces of SARS-CoV-2, the virus that causes COVID-19, in the nose, throat, or other areas in the respiratory tract to determine if the person has an active infection. Molecular tests may be called polymerase chain reaction (PCR), RT-PCR, nucleic acid amplification test (NAAT), or LAMP test.
<i>How is the test performed?</i>	In most cases, a nasal or throat swab is taken by a healthcare provider and tested. Sometimes the test can be run while you wait, and sometimes the swab needs to be sent to a lab for testing.	In most cases, a blood sample is taken and sent to a lab for testing.	In most cases, a nasal or throat swab or saliva sample is taken by a healthcare provider and tested. Sometimes the test can be run while you wait, and sometimes the swab needs to be sent to a lab for testing.
<i>What does a positive test result mean?</i>	A positive antigen test means that the person being tested has an active COVID-19 infection.	A positive antibody test means that the person being tested was infected with COVID-19 in the past and that their immune system developed antibodies to try to fight it off.	A positive molecular test means that the person being tested has an active COVID-19 infection.

TOPIC	ANTIGEN TEST	ANTIBODY (SEROLOGY) TEST	MOLECULAR TEST**
<i>What does a negative test result mean?</i>	A negative antigen test means that SARS-CoV-2 viral proteins were not detected. However, a negative test does not rule out COVID-19. If there is still concern that a person has COVID-19 after a negative antigen test, then that person should be tested again with a molecular test.	A negative antibody test means that the person may not have had COVID-19 in the past. However, they could still have a current infection, and the antibody test was collected too soon to give a positive result.	A negative molecular test means that person was probably not infected at the time their sample was collected. However, it doesn't mean they won't get sick – it only means that they didn't have COVID-19 at the time of testing.
<i>When is it helpful?</i>	<ul style="list-style-type: none"> <li>• It can be used to quickly determine who has an active infection.</li> <li>• It can help identify people who are contagious to others.</li> <li>• It is a less expensive test than a molecular test.</li> </ul>	<ul style="list-style-type: none"> <li>• It can identify people who had an infection in the past, even if they had no symptoms of the illness.</li> <li>• In some cases, it could help determine when COVID-19 illness occurred, since we know that IgM is formed before IgG and that IgM goes away before IgG.</li> <li>• It can help determine who qualifies to donate convalescent plasma (a blood product that contains antibodies against COVID-19 and can be used as a COVID19 treatment).</li> <li>• If lots of people take the test in a community, it can help public health leaders and researchers know what percentage of the population has already had COVID-19.</li> </ul>	<ul style="list-style-type: none"> <li>• It can be used to determine who has an active infection.</li> <li>• It can help identify people who are contagious to others.</li> </ul>

TOPIC	ANTIGEN TEST	ANTIBODY (SEROLOGY) TEST	MOLECULAR TEST**
<i>When is it not helpful?</i>	<ul style="list-style-type: none"> <li>• It does not accurately rule out those who are not infected.</li> <li>• Antigen tests are less sensitive than molecular tests, meaning there may be false negative results.</li> <li>• Negative tests should be treated as presumptive. If a healthcare provider is concerned that the person has COVID-19, even after a negative antigen test, then the test result should be confirmed with molecular testing.</li> </ul>	<ul style="list-style-type: none"> <li>• It may be negative if it is used too close to the beginning of an infection, which is why it should not be used to detect active COVID19 infection.</li> <li>• In areas where there have not been many cases of COVID-19, many of the positive test results will actually be false positives. Some antibody tests have low sensitivity and specificity and thus may not produce reliable results.</li> <li>• Some antibody tests may cross-react with other coronaviruses that are not SARS-CoV2, the virus that causes COVID-19, leading to false test results.</li> <li>• We do not know yet if having antibodies to the virus that causes COVID-19 can protect someone from getting infected again or, if they do, how long this protection might last. Until scientists get more information about whether antibodies protect against reinfection with this virus, everyone should continue to take steps to protect themselves and others, including staying at least 6 feet away from other people outside of their home (social distancing), even if they have had a positive antibody test.</li> </ul>	<ul style="list-style-type: none"> <li>• It does not help determine who had an infection in the past.</li> <li>• It also does not help determine if a person who was exposed to COVID-19 will develop active infection during the two weeks after exposure. In some people, the virus can only be found by a molecular test for a few days at the beginning of the infection, so the test might not find the virus if the swab is taken more than a few days after the illness starts.</li> <li>• In some people, the virus can be found by a molecular test in the nose and throat for several weeks, even longer than the time that they are actually contagious to other people.</li> <li>• This test requires certain kinds of swabs that may be in short supply.</li> </ul>

TOPIC	ANTIGEN TEST	ANTIBODY (SEROLOGY) TEST	MOLECULAR TEST**
<i>What public health activities will be conducted?</i>	<ul style="list-style-type: none"> <li>• If positive, the health department will interview the antigen-positive person about symptoms and if they were around someone who had COVID-19. Contact tracing will be performed.</li> <li>• If negative, no public health activities will be performed.</li> </ul>	<ul style="list-style-type: none"> <li>• If positive, the health department will interview the antibody-positive person about symptoms and if they were around someone who had COVID-19. If the person had symptoms or was around someone with COVID-19, the health department may recommend they get a molecular test. No contact tracing will be performed.</li> <li>• If negative, no public health activities will be performed.</li> </ul>	<ul style="list-style-type: none"> <li>• If positive, the health department will conduct a case investigation. Contact tracing will be performed to identify individuals who might have been exposed to the molecular test-positive person when they could have spread COVID-19.</li> <li>• If negative, no public health activities will be performed.</li> </ul>

*\* Adapted from Texas Department of State Health and Human Services Version 3.0 Released 10/8/2020*

*\*\* Molecular Tests are not offered by Butler School District 53.*